
# RLR SFPC VANDAL SERIES

#### VANDAL RESISTANT SETS STRUCTURAL FOAM HOUSING INJECTION MOLDED POLYCARBONATE LENS



Special Colors For Diffusers and Bodies Available Upon Request

This line of Vandal Proof sets uses a unique injection molding process utilizing polycarbonate processed into injection molded structural foam. The result is a housing that is weather-resistant, while retaining an extremely high impact strength. The housings are manufactured complete with pre-installed gaskets and brass screw inserts. When used with our Vandal Series polycarbonate diffusers, the result is a light-weight, energy-efficient, and durable high-impact component set.

#### SUGGESTED USE WITH VARIOUS BULBS

- 1 Low Wattage High Pressure Sodium 35W, 50W, 70W, 100W
- 2 Low Wattage Metal Halide 35W, 50W, 70W, 100W
- 3 Low Wattage Compact Fluorescents PL Bulbs
- 4 Incandescent Bulbs




MANUFACTURERS OF COMPONENTS FOR THE LIGHTING INDUSTRY
VACUUM & PRESSURE FORMING • INJECTION MOLDING • EXTRUDING • FABRICATING

RLR INDUSTRIES, INC. 160 ADAMS BLVD. FARMINGDALE, NY 11735

## RLR VANDAL SERIES

# FIXTURE COMPONENTS FOR H.I.D., COMPACT AND CIRCLINE FLUORESCENT LAMPS



METAL MOUNTING PLATE AVAILABLE FOR SFPC 479 FOAM BODY.



MANUFACTURERS OF COMPONENTS FOR THE LIGHTING INDUSTRY
VACUUM & PRESSURE FORMING • INJECTION MOLDING • EXTRUDING • FABRICATING

RLR INDUSTRIES, INC. 160 ADAMS BLVD. FARMINGDALE, NY 11735

# RLR VANDAL SERIES

FIXTURE COMPONENTS FOR H.I.D., COMPACT AND CIRCLINE FLUORESCENT LAMPS UV STABILIZED, POLYCARBONATE VANDAL RESISTANT DIFFUSERS


**V58** 


MINI WALLPACK LENS

	V58
Α	75/8
В	51/4
С	37/8
D	715/32
E	51/16
F	10/16

9

- FLAT TOP
- PRISMATIC FINISH INTERIOR
- WHITE & CLEAR POLYCARBONATE
- WHITE & CLEAR ACRYLIC FOR NON-VANDAL APPLICATION
- USES 58 PAN TO CREATE A COMPLETE VANDAL RESISTANT SET







V610 **V713** 

> WALL PACK **LENS**

- · CROWN TOP
- PRISMATIC FINISH INTERIOR & EXTERIOR
- WHITE AND CLEAR POLYCARBONATE
- WHITE AND CLEAR ACRYLIC FOR NON-VANDAL APPLICATION
- V610 USES 610 PAN OR 610 FOAM BODY TO CREATE COMPLETE VANDAL RESISTANT SET
- V713 USES 713 FOAM BODY TO CREATE A VANDAL RESISTANT SET







MANUFACTURERS OF COMPONENTS FOR THE LIGHTING INDUSTRY VACUUM & PRESSURE FORMING . INJECTION MOLDING . EXTRUDING . FABRICATING

RLR INDUSTRIES, INC. 160 ADAMS BLVD. **FARMINGDALE, NY 11735** 


## RLR WANDAY SERIES

#### FIXTURE COMPONENTS FOR H.I.D., COMPACT AND CIRCLINE FLUORESCENT LAMPS UV STABILIZED, POLYCARBONATE VANDAL RESISTANT DIFFUSERS


**V88** V1212


	A	В	С	D	E	F	G
V88	45/8	10/16	1/4	1/10	81/2	71/4	51/2
V1212	51/2	10/16	1/4	1/10	12	101/2	83/4

ALL DIM. SQUARE




- CROWN TOP
- PRISMATIC FINISH INTERIOR & EXTERIOR
- WHITE & CLEAR POLYCARBONATE
- WHITE & CLEAR ACRYLIC FOR NON-VANDAL APPLICATION
- USES 88,1212 FOAM BODY OR 88,1212 PAN TO CREATE A VANDAL RESISTANT SET






V1010

	Α	В	C	D	E
V1010	10%10	10%	4	3/8	81/2



- FLAT TOP
- PRISMATIC FINISH INTERIOR
- WHITE AND CLEAR POLYCARBONATE
- WHITE AND CLEAR ACRYLIC FOR NON-VANDAL APPLICATION
- USES 1010 FOAM BODY OR 1010 PAN TO CREATE A VANDAL RESISTANT SET



HOLES & SLOTS MACHINED TO SPECIFICATIONS THESE UNITS ARE DESIGNED FOR HIGH IMPACT RESISTANCE AND HIGH EFFICIENCY WHILE LOWERING ENERGY COSTS



MANUFACTURERS OF COMPONENTS FOR THE LIGHTING INDUSTRY VACUUM & PRESSURE FORMING . INJECTION MOLDING . EXTRUDING . FABRICATING


RLR INDUSTRIES, INC. 160 ADAMS BLVD. **FARMINGDALE, NY 11735** 


## RLR WAYNDAYL SERIES

### FIXTURE COMPONENTS FOR H.I.D., COMPACT AND CIRCLINE FLUORESCENT LAMPS UV STABILIZED, POLYCARBONATE VANDAL RESISTANT DIFFUSERS

	Α	В	С	D	E	F	G	Н
V479/80	91/2	87/8	83/4	3/16	11/2	41/4	39/16	35/8
V481	91/2	87/8	85/8	3/16	2	41/4	39/16	33/8


- V479/81 PRISMATIC FINISH INTERIOR
- V480 CRACKED ICE FINISH INTERIOR
- FLAT TOP
- WHITE & CLEAR POLYCARBONATE
- WHITE & CLEAR ACRYLIC FOR NON-VANDAL APPLICATION
- USES 479 FOAM HOUSING TO CREATE A VANDAL RESISTANT SET





	Α	В	С	D	Е	F	G	Н
V905	1315/16	131/8	12	1/2	21/2	41/2	45/16	31/4

- · STEPPED TOP
- · PRISMATIC FINISH INTERIOR
- · WHITE AND CLEAR POLYCARBONATE
- WHITE AND CLEAR ACRYLIC FOR NON-VANDAL APPLICATION
- USES 905 PAN TO CREATE A VANDAL RESISTANT SET



HOLES & SLOTS MACHINED TO SPECIFICATIONS
THESE UNITS ARE DESIGNED FOR HIGH IMPACT RESISTANCE
AND HIGH EFFICIENCY WHILE LOWERING ENERGY COSTS



MANUFACTURERS OF COMPONENTS FOR THE LIGHTING INDUSTRY
VACUUM & PRESSURE FORMING • INJECTION MOLDING • EXTRUDING • FABRICATING

RLR INDUSTRIES, INC. 160 ADAMS BLVD. FARMINGDALE, NY 11735 TEL: (516) 752-8855

FAX: (516) 293-2239